


HELP CENTER: EXCEL ADD-IN

Welcome to the CreditRiskMonitor Excel Add-In Help Center, your go-to resource for harnessing the full potential of our tool. This document provides comprehensive guidance on using our Excel Add-In functions effectively, practical use cases for integrating real-time data into your financial analysis, and best practices to streamline your workflow. Whether you're a novice or a seasoned Excel user, this guide will empower you to make informed decisions and optimize your credit risk monitoring processes.


If you have any questions, concerns, or suggestions, please do not hesitate to send an email to ExcelAddin@creditriskmonitor.com.

ADD-IN INSTALLATION


1. Go to Home Tab and click on "Add-ins" and "More Add-ns"



2. Search for CreditRiskMonitor



3. Click on the Add-In and Install it
4. Go back to the Home Tab, and click on the CreditRiskMonitor to the far right. Enter your credentials and start using our "CRMZ" functions.




USING ADD-IN MENU FUNCTIONALITIES

Refresh Sheet


After logging in, click “Refresh Sheet” to update all your functions across the spreadsheet with the most recent data from the website.

Best Practice: Perform this action every time you log in.



Business Lookup

Use this functionality to look up businesses just like you do on the website. Fill out the business details and hit ‘Lookup’ to retrieve the results.



Click “Select Business” to automatically input that ‘BusinessId’ into your functions that do not have a ‘BusinessId’ set up.

Functions

Use this section to access the details for each function available in the CreditRiskMonitor Excel Add-in.

COMMON DATA INPUTS

This section shows the most common inputs that you will find in the functions:

INPUTS	DESCRIPTION
BUSINESSID	This field represents the Business identifier (ID) assigned by CreditRiskMonitor, that you want to pull information from. In certain cases, providing the BusinessID can be optional. The ID can be a number like 2889 or a cell reference like A2.
CUSTOMERID	This field denotes the unique identifier of the customer, applicable when the user is a Trade Provider. These are identifiers from your internal accounts receivable system which can be used directly in these functions. In some cases, this field can be optional. The ID can be a number like 2889 or a cell reference like A2.
SUPPLIERID	This field signifies the supplier/vendor's unique identifier when a Supplier List is utilized. These are identifiers from your internal systems which can be used directly in these functions. While optional, providing SupplierId offers specificity in data retrieval. It requires a SupplyChainMonitor subscription.
FIELDS	This refers to the list of data field names to be returned. It can either be a comma-separated string or an Excel range. While this input is optional, omitting it will return all available fields for a specific function. To know all the data fields of a function please use the function CRMZ.FIELDS and follows the respective function name. For example, to see the fields available for the CRMZ.BUSINESS.DETAILS() function, type CRMZ.FIELDS.BUSINESS.DETAILS().
SHOWHEADERS <i>OPTIONAL</i>	It shows the fields' headers. You can choose between '1' or 'TRUE' to show the headers, or '0' or 'FALSE' to not show the headers. The default value is '1', indicating that headers will be shown by default.

BUSINESS/CUSTOMER/SUPPLIER DETAILS

DETAILS function

The **BUSINESS/CUSTOMER/SUPPLIER DETAILS** function pulls information from 56 possible fields for a record. You can choose which fields you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.**BUSINESS**.DETAILS(**BusinessId**, [Fields], [ShowFields])

=CRMZ.**CUSTOMER**.DETAILS(**CustomerId**, [Fields], [ShowFields])

=CRMZ.**SUPPLIER**.DETAILS(**SupplierId**, [Fields], [ShowFields])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 56 fields for a Business ID. You can mention the exact field like "Address1", a cell reference like A2, a cell range like A2:C2, or a comma-separated string like "Address1, CityName, StateProvinceName". The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get high-level information for a specific business
 - Find the business IDs you're interested in (*See item 2 for multiple ways to find the IDs*).
 - Paste the business IDs in any column to reference them in the formula.
 - Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.
 - If you want to switch businesses from rows to columns, you can use the [TRANSPOSE function](#)

	A	B	C	D	E	F	G	H	I	J	K	L
1	BusinessId	Name	Address1	CityName	StateProvinceName	PostalCode	CountryName	PhoneNumber	TickerSymbol	Employees	FriskScore	ZScore
2	2889	Microsoft Corp	One Microsoft Way	REDMOND	WA	98052-6399	United States	(425) 882-8080	MSFT	221000	10	3.8811
3	5513	Apple Inc	One Apple Park Way	CUPERTINO	CA	95014	United States	(408) 996-1010	AAPL	161000	10	2.7871

- BusinessId: Referenced on cell A2
- Fields: Referenced on the locked range B2:L1
- ShowHeaders: '0' as it already has the headers/fields referenced

B2 ✕ ✓ fx =CRMZ.BUSINESS.DETAILS(A2,"Name",0)					
	A	B	C	D	E
1	BusinessId	Name			
2	2889	Microsoft Corp			
3	5513	Apple Inc			

- BusinessId: Referenced on cell A2
- Fields: "Name"
- ShowHeaders: '0'

A1 ✕ ✓ fx =CRMZ.BUSINESS.DETAILS(2889)											
	A	B	C	D	E	F	G	H	I	J	K
1	Name	ParentBusinessId	ParentBusinessName	BusinessId	Address1	CityName	StateProvinceName	PostalCode	CountryName	PhoneNumber	FaxNumber
2	Microsoft Corp			2889	One Microsoft Way	REDMOND	WA	98052-6399	United States	(425) 882-8080	(425) 706-7329

- BusinessId: 2889
- Fields: 'empty', which pulls every field for that business ID
- ShowHeaders: 'empty', which shows the headers on row 1

C2 ✕ ✓ fx =TRANSPOSE(CRMZ.BUSINESS.DETAILS(C1,,0))			
	A	B	C
1		2889	5513
2	Name	Microsoft Corp	Apple Inc
3	ParentBusinessId		
4	ParentBusinessName		
5	BusinessId	2889	5513
6	Address1	One Microsoft Way	One Apple Park Way
7	CityName	REDMOND	CUPERTINO
8	StateProvinceName	WA	CA
9	PostalCode	98052-6399	95014
10	CountryName	United States	United States
11	PhoneNumber	(425) 882-8080	(408) 996-1010
12	FaxNumber	(425) 706-7329	
13	EmailAddress	msft@microsoft.com	investor_relations@apple.com
14	TradingStatus	A	A
15	IncorporatedDate	1993-09-22	1977-01-03

- BusinessId: Referenced on cell C1
- Fields: 'empty', so all of them are pulled. Column A represents the fields that had been previously pasted.
- ShowHeaders: '0', which does not show the headers
- Using the "Transpose" Excel function to show the results vertically.

BUSINESS/CUSTOMER/SUPPLIER FINANCIAL DETAILS

BUSINESS FINANCIALS function

The **BUSINESS/CUSTOMER/SUPPLIER FINANCIAL DETAILS** function pulls financial information from 290 possible fields for a business. You can specify Annual or Interim financials alongside how many time periods. You can choose which financial data you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.**BUSINESS**.FINANCIALS([**BusinessId**], [Type], [Periods], [StandardQuarter], [StandardYear], [SortOrder], [Fields], [ShowHeaders])

=CRMZ.**CUSTOMER**. FINANCIALS ([**CustomerId**], [Type], [Periods], [StandardQuarter], [StandardYear], [SortOrder], [Fields], [ShowHeaders])

=CRMZ.**SUPPLIER**. FINANCIALS ([**SupplierId**], [Type], [Periods], [StandardQuarter], [StandardYear], [SortOrder], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Type <i>optional</i>	The type of financials: “Annual”, “Interim” (on a quarterly basis), or “YTD” (year-to-date). You can type them in the format or use a cell reference like A2. If you want quarter financials, use “Interim”.
Periods <i>optional</i>	Given the type, you can choose how many time periods you want to get. For instance, type = “Annual” and period = “2” will result in the last two most recent annual financials.
StandardQuarter <i>optional</i>	Specifies the quarter of the financial statements to return (valid options: 1, 2, 3, 4). Applicable only when the Type of financials is set to “Interim”.
StandardYear <i>optional</i>	Specifies the year of the financial statements to return (format: YYYY, e.g., 2023).
SortOrder <i>optional</i>	The order of how the StandardYear and StandardQuarter are showed in the results (valid options are “D” = Descending and “A” = Ascending. The default option is “D”).
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 290 financial fields for a Business ID. You can mention the exact field like “Inventory”, a cell reference like A2, a cell range like A2:C2 or a comma-separated string like “GrossMarginOfSales, OperatingMarginOfSales”. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get high-level financial information for a specific business

- Find the business IDs you're interested in (*See item 2 for multiple ways to find the IDs*).
- Paste the business IDs in any column to reference them in the formula.
- Choose between "Annual" or "Interim" for Type.
- Choose how many periods you want to get.
- Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.

A2

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1														
2	StandardY	StandardQ	Statement	Statement	PeriodEnd	Currency	C NumberOf	QuarterlyZ	ZScore	BalanceAc	BalanceAu	BalanceAu	BalanceSo	BalanceSo
3	2023	0	2023	0	6/29/2023	USD	221000	4.7083	4.7083	U.S. GAAP	Deloitte & T	Unqualifie	10-K	7/26/2023
4	2022	0	2022	0	6/29/2022	USD	221000	4.5097	4.51	U.S. GAAP	Deloitte & T	Unqualifie	10-K	7/27/2022

A2

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1														
2	StandardY	StandardQ	Statement	Statement	PeriodEnd	Currency	C NumberOf	QuarterlyZ	ZScore	BalanceAc	BalanceAu	BalanceAu	BalanceSo	BalanceSo
3	2023	4	2024	2	12/30/202	USD		2.8357	3.8811	U.S. GAAP			10-Q	1/29/2024
4	2023	3	2024	1	9/29/2023	USD		3.6177	4.6248	U.S. GAAP			10-Q	10/23/202
5	2023	2	2023	4	6/29/2023	USD		3.663	4.7083	U.S. GAAP			10-K	7/26/2023
6	2023	1	2023	3	3/30/2023	USD		3.774	4.8753	U.S. GAAP			10-Q	4/24/2023

C3

	A	B	C	D	E	F
1						
2	BusinessId	Name	StandardYear	GrossMarginOfSales	OperatingMarginOfSales	
3	2889	Microsoft Corp	2023	68.9201	41.7587	
4	5513	Apple Inc	2023	68.9201	41.7587	

C3

	A	B	C	D	E	F
1						
2	BusinessId	Name	StandardYear	GrossMarginOfSales	OperatingMarginOfSales	
3	2889	Microsoft Corp	2023	68.9201	41.7587	
4			2022	68.4017	42.0043	
5			2021	68.9258	41.5871	

B3

	A	B	C	D	E	F
1	BusinessId	2889				
2						
3	StandardYear	2023	2023	2023	2023	2022
4	StandardQuarter	4	3	2	1	4
5	GrossMarginOfSales	68.3602	71.1556	70.1098	69.4875	66.8455
6	OperatingMarginOfSales	43.3263	47.5768	43.1633	42.2877	38.6657

SCORE HISTORY

BUSINESS SCORE HISTORY function

The **BUSINESS/CUSTOMER/SUPPLIER SCORE HISTORY** function pulls score information from 8 fields for a business. You can specify the Start and/or End Dates of the monthly risk scores.

You can choose which score you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.BUSINESS.SCOREHISTORY([BusinessId], [StartDate], [EndDate], [Fields], [ShowHeaders])

=CRMZ.CUSTOMER.SCOREHISTORY([CustomerId], [StartDate], [EndDate], [Fields], [ShowHeaders])

=CRMZ.SUPPLIER.SCOREHISTORY([SupplierId], [StartDate], [EndDate], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
StartDate <i>optional</i>	Specifies the start date of the risk scores to display, formatted as YYYY/MM. The default option is the current date.
EndDate <i>optional</i>	Specifies the end date of the risk scores to display, formatted as YYYY/MM. The end date must be at least 45 days apart from the start date. The default option is one year ago.
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 8 score fields for a Business ID. You can mention the exact field like "FRISKScore", a cell reference like A2, a cell range like A2:C2 or a comma-separated string like "FRISKScore, PAYCEScore". The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get high-level score information for a specific business
 - Find the business IDs you're interested in (*See item 2 for multiple ways to find the IDs*).
 - Paste the business IDs in any column to reference them in the formula.
 - Type the StartDate and/or EndDate of the score information do you want to pull. This step is optional, it will return the latest 13 month history by default.
 - Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.

A3 : ✕ ✓ <i>fx</i> =CRMZ.BUSINESS.SCOREHISTORY(B1)								
	A	B	C	D	E	F	G	H
1	BusinessId	2889						
2								
3	FRISKScore	DBTScore	ZScore	PAYCEScore	FSRScore	Year	Month	Quarter
4	10	9	4.8405			2023	3	0
5	10	9	4.8753			2023	4	1
6	10	9	4.8753			2023	5	1
7	10	9	4.8753			2023	6	1
8	10	9	4.7083			2023	7	2
9	10	9	4.7083			2023	8	2
10	10	9	4.7083			2023	9	2
11	10	9	4.6248			2023	10	3
12	10	9	4.6248			2023	11	3
13	10	9	4.6248			2023	12	3
14	10	9	3.8811			2024	1	0
15	10	9	3.8811			2024	2	0
16	10	9	3.8811			2024	3	0

A3 : ✕ ✓ <i>fx</i> =CRMZ.BUSINESS.SCOREHISTORY(B1,"01/31/2021","02/28/2023",,)										
	A	B	C	D	E	F	G	H	I	J
1	BusinessId	2889								
2										
3	FRISKScore	DBTScore	ZScore	PAYCEScore	FSRScore	Year	Month	Quarter		
4	10		4.8947			2021	1	0		
5	10		4.8947			2021	2	0		
6	10		4.8947			2021	3	0		
7	10		4.7276			2021	4	1		
8	10		4.7276			2021	5	1		
9	10		4.7276			2021	6	1		
10	10		4.6258			2021	7	2		
11	10		4.6258			2021	8	2		
12	10	9	4.6258			2021	9	2		
13	10	9	4.845			2021	10	3		
14	10	9	4.845			2021	11	3		
15	10	9	4.845			2021	12	3		
16	10	9	5.0662			2022	1	0		
17	10	9	5.0662			2022	2	0		
18	10	9	5.0662			2022	3	0		
19	10	9	4.7483			2022	4	1		
20	10	9	4.7483			2022	5	1		
21	10	9	4.7483			2022	6	1		
22	10	9	4.51			2022	7	2		
23	10	9	4.51			2022	8	2		
24	10	9	4.51			2022	9	2		
25	10	9	4.7324			2022	10	3		
26	10	9	4.7324			2022	11	3		
27	10	9	4.7324			2022	12	3		
28	10	9	4.8405			2023	1	0		
29	10	9	4.8405			2023	2	0		

B3 : ✕ ✓ <i>fx</i> =TRANSPOSE(CRMZ.BUSINESS.SCOREHISTORY(B1,,A3:A7,0))														
	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	BusinessId	2889												
2														
3	Year	2023	2023	2023	2023	2023	2023	2023	2023	2023	2023	2024	2024	2024
4	Month	3	4	5	6	7	8	9	10	11	12	1	2	3
5	Quarter	0	1	1	1	2	2	2	3	3	3	0	0	0
6	FRISKScore	10	10	10	10	10	10	10	10	10	10	10	10	10
7	ZScore	4.8405	4.8753	4.8753	4.8753	4.7083	4.7083	4.7083	4.6248	4.6248	4.6248	3.8811	3.8811	3.8811
8														

C2 : ✕ ✓ <i>fx</i> =CRMZ.BUSINESS.SCOREHISTORY(A2,,C1:E1,0)						
	A	B	C	D	E	F
1	BusinessId	Name	DBTScore	Year	Month	
2	2889	Microsoft Corp	9	2023	3	
3			9	2023	4	
4			9	2023	5	
5			9	2023	6	
6			9	2023	7	
7			9	2023	8	
8			9	2023	9	
9			9	2023	10	
10			9	2023	11	
11			9	2023	12	
12			9	2024	1	
13			9	2024	2	
14				2024	3	
15						

- Build the FRISKScore history for multiple businesses at once
 - a. Paste the last 13 months, including the current one on the first row.
 - i. Tip: To make this dynamic and automated, use the formula DATE and TODAY for the current month (Cell O1), and work backward to the 13th month using the formula EDATE (Range C1:N1).

C2

SIC CODES

BUSINESS SIC CODES function

The **BUSINESS/CUSTOMER/SUPPLIER SIC CODES** function pulls the primary and secondaries SIC Codes for a business. You can choose which field you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

```
=CRMZ.BUSINESS.SICCODES([BusinessId], [Fields], [ShowHeaders])
```

```
=CRMZ.CUSTOMER.SICCodes([CustomerId], [Fields], [ShowHeaders])
```

```
=CRMZ.SUPPLIER.SICCodes([SupplierId], [Fields], [ShowHeaders])
```

Refer to **Common Data Inputs** if necessary.

Inputs	Description
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 3 fields for a Business ID. You can mention the exact field like “Name”, a cell reference like A2, a cell range like A2:C2 or a comma-separated string like “Name, Primary”. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get the SIC Code information for a specific business
 - a. Find the business IDs you're interested in (*See item 2 for multiple ways to find the IDs*).

- b. Paste the business IDs in any column to reference them in the formula.
- c. Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.

A4 =CRMZ.BUSINESS.SICCODES(2889)

	A	B	C
1	BusinessId	2889	
2	Name	Microsoft Corp	
3			
4	Code	Name	Primary
5	7372	Prepackaged software	TRUE
6	3577	Computer peripheral equipment, not elsewhere classified	FALSE
7	7375	Information retrieval services	FALSE
8	3571	Electronic computers	FALSE
9	7373	Computer integrated systems design	FALSE
10	7371	Computer programming services	FALSE
11	7379	Computer related services, not elsewhere classified	FALSE
12	3944	Games, toys, and children's vehicles, except dolls and bicycles	FALSE

A3 =CRMZ.BUSINESS.SICCODES(B1,"Primary,Code,Name",1)

	A	B	C
1	BusinessId:	2889	
2	Name:	No Data	
3	Primary	Code	Name
4	TRUE	7372	Prepackaged software
5	FALSE	3577	Computer peripheral equipment, not elsewhere classified
6	FALSE	7375	Information retrieval services
7	FALSE	3571	Electronic computers
8	FALSE	7373	Computer integrated systems design
9	FALSE	7371	Computer programming services
10	FALSE	7379	Computer related services, not elsewhere classified
11	FALSE	3944	Games, toys, and children's vehicles, except dolls and bicycles
12			
13	Primary SIC Code:	Prepackaged software	
14			

B13 =VLOOKUP(TRUE,A3:C11,3,FALSE)

	A	B	C
1	BusinessId:	2889	
2	Name	Microsoft Corp	
3	Primary	Code	Name
4	TRUE	7372	Prepackaged software
5	FALSE	3577	Computer peripheral equipment, not elsewhere classified
6	FALSE	7375	Information retrieval services
7	FALSE	3571	Electronic computers
8	FALSE	7373	Computer integrated systems design
9	FALSE	7371	Computer programming services
10	FALSE	7379	Computer related services, not elsewhere classified
11	FALSE	3944	Games, toys, and children's vehicles, except dolls and bicycles
12			
13	Primary SIC Code:	Prepackaged software	
14			

NAICS CODES

BUSINESS NAICS CODES function

The **BUSINESS/CUSTOMER/SUPPLIER NAICS CODES** function pulls the NAICS Codes registered for a business. You can choose which field you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.BUSINESS.NAICSCODES([BusinessId], [Fields], [ShowHeaders])

=CRMZ.CUSTOMER.NAICSCodes([CustomerId], [Fields], [ShowHeaders])

=CRMZ.SUPPLIER.NAICSCodes([SupplierId], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 2 fields for a Business ID. You can mention the exact field like "Name", a cell reference like A2, a cell range like A2:B2 or a comma-separated string like "Code,Name". The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get the NAICS Codes information for a specific business
 - Find the business IDs you're interested in (*See item 2 for multiple ways to find the IDs*).
 - Paste the business IDs in any column to reference them in the formula.
 - Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.

	A	B
1	BusinessId	2889
2	Name	Microsoft Corp
3		
4	Code	Name
5	513210	Software Publishers
6	334118	Computer Terminal and Other Computer Peripheral Equipment Manufacturing
7	519290	Web Search Portals and All Other Information Services
8	334111	Electronic Computer Manufacturing
9	541512	Computer Systems Design Services
10	541511	Custom Computer Programming Services
11	541519	Other Computer Related Services
12	339930	Doll, Toy, and Game Manufacturing
13		

PEER ANALYSIS

PEER ANALYSIS function

The **BUSINESS/CUSTOMER/SUPPLIER PEER ANALYSIS** function pulls the financial informaton from 37 fields for a business and its peer group. You can specify the period ifor the financials

alongside the SICCode and risk score filters. You can choose which field you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.BUSINESS.PEERANALYSIS([BusinessId], [ShowRatios], [Year], [Quarter], [SICCode], [SICPrimary], [FolderId], [TargetCountry], [RiskLevelFilter], [FriskScoreFilter], [ZScoreFilter], [PayceScoreFilter], [DBTFilter], [Fields], [ShowHeaders])

=CRMZ.CUSTOMER.PEERANALYSIS([CustomerId], [ShowRatios], [Year], [Quarter], [SICCode], [SICPrimary], [FolderId], [TargetCountry], [RiskLevelFilter], [FriskScoreFilter], [ZScoreFilter], [PayceScoreFilter], [DBTFilter], [Fields], [ShowHeaders])

=CRMZ.SUPPLIER.PEERANALYSIS([SupplierId], [ShowRatios], [Year], [Quarter], [SICCode], [SICPrimary], [FolderId], [TargetCountry], [RiskLevelFilter], [FriskScoreFilter], [ZScoreFilter], [PayceScoreFilter], [DBTFilter], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
ShowRatios <i>optional</i>	Specifies whether to show the financial ratios of the business and its peer group in the output results. If set to "TRUE" or "1", it will show the metrics; otherwise, it will display information about the peer group (Year, Quarter, SIC Code, SIC Industry Name, and the number of businesses included in the peer group at the specified year and quarter).
Year <i>optional</i>	Specifies the year of financial statements to analyze, formatted as YYYY/MM. The default option is the latest year the company has published financial statements.
Quarter <i>optional</i>	Specifies the quarter of financial statements to analyze (valid options: 1, 2, 3, 4). The default option is the latest quarter the company has published financial statements.
SICCode <i>optional</i>	The Standard Industrial Classification (SIC) code assigned to the business.
SICPrimary <i>optional</i>	Specifies whether to include businesses in the peer group whose primary Standard Industrial Classification (SIC) matches that of the assigned business. If set to "Y", it will compare only primary SIC codes; otherwise, it will compare to any business that has a primary or secondary SIC code.
FolderId <i>optional</i>	The identifier of the personal folder that is part of the customer's portfolio subgroups or folders setup. You can use the function CRMZ.PORTFOLIOFOLDERS() to obtain the FolderId.

TargetCountry <i>optional</i>	The country code of the businesses in the peer group that matches the assigned to the business. It accepts the country-coded top-level domains for reporting the country code (e.g., "US" for the United States, "DE" for Germany). Reference: Internet country code - The World Factbook (cia.gov)
RiskLevelFilter <i>optional</i>	Specifies the level of risk of the businesses in the peer group that match the assigned business. Valid values include: From an overall risk level perspective, the following options show risk levels based on Credit Agencies' ratings combined with FRISK scores. The list of credit agency ratings available on our platforms are Moody's, Fitch, Morningstar DBRS. - "NS": Non-Scored. It means the business does not have any FRISK score or credit agency rating available in the selected or default period of analysis. - "NF": Non-FRISK Scored. It means the business does not have any FRISK score available in the selected or default period of analysis. - "H1": Risk Level 1. It means a FRISK score of 1 or an equivalent credit agency rating of CC/Ca or higher risk. - "H2": Risk Levels 1 and 2. It means a FRISK score of 2 or an equivalent credit agency rating of CCC. - "H3": Risk Levels 1, 2, and 3. It means a FRISK score of 3 or an equivalent credit agency rating of B. - "H4": Risk Levels 1, 2, 3, and 4. It means a FRISK score of 4 or an equivalent credit agency rating of BB. - "H5": Risk Level 1, 2, 3, 4, and 5. It means a FRISK score of 5 or an equivalent credit agency rating of BB+. Lower credit ratings are not considered as a risky level option.
FriskScoreFilter <i>optional</i>	From a FRISK risk level perspective, please use one of the following options: - "N": Non-FRISK Scored. It means the business does not have any FRISK score available in the selected or default period of analysis. - "S": FRISK Scored. It means the business has a FRISK score available in the selected or default period of analysis. - "H": FRISK High Risk. It means the business has a FRISK score of 1,2,3,4 or 5 in the selected or default period of analysis. - "M": FRISK Medium Risk. It means the business has a FRISK score of 6,7 or 8 in the selected or default period of analysis. - "L": FRISK Low Risk. It means the business has a FRISK score of 9 or 10 in the selected or default period of analysis.
ZScoreFilter <i>optional</i>	Specifies the level of Z-score of the businesses in the peer group that match the assigned business. Valid values include: - "N": Non Scored. It means the business does not have any Z-score available in the selected or default period of analysis.

	- "S": Scored. It means the business has a Z-score score available in the selected or default period of analysis. - "H": High Risk. It means the business has a Z-score less than 1.1 in the selected or default period of analysis. - "M": Medium Risk. It means the business has a Z-score equal to and higher than 1.1 but less than 2.6 in the selected or default period of analysis. - "L": Low Risk. It means the business has a Z-score equal to and higher than 2.6 in the selected or default period of analysis.
PayceScoreFilter <i>optional</i>	Specifies the level of Payce score of the businesses in the peer group that match the assigned business. Valid values include: - "N": Non-PAYCE scored. It means the business does not have any PAYCE score available in the selected or default period of analysis. - "S": PAYCE Scored. It means the business has a PAYCE score available in the selected or default period of analysis. - "H": PAYCE Score High Risk. It means the business has a PAYCE score of 1,2,3,4 or 5 in the selected or default period of analysis. - "M": PAYCE Score Medium Risk. It means the business has a PAYCE score of 6,7 or 8 in the selected or default period of analysis. - "L": PAYCE Score Low Risk. It means the business has a PAYCE score of 9 or 10 in the selected or default period of analysis.
DBTFilter <i>optional</i>	Specifies the level of Payce score of the businesses in the peer group that match the assigned business. Valid values include: - "N": Non-Scored customers. It means the business does not have any DBT score available in the selected or default period of analysis. - "S": Scored customers. It means the business has a DBT score available in the selected or default period of analysis. - "D": Delinquent. It means the business has a high-risk DBT score of 1 (160+ days beyond terms), 2 (91 - 105 days beyond terms), or 3 (76 - 90 days beyond terms) in the selected or default period of analysis. - "W": Slow. It means the business has a medium-risk DBT score of 4 (61 - 75 days beyond terms), 5 (46 - 60 days beyond terms), 6 (31 - 45 days beyond terms), or 7 (21 - 30 days beyond terms) in the selected or default period of analysis. - "P": Prompt. It means the business has a low-risk DBT score of 8 (11 - 20 days beyond terms), 9 (0 - 10 days beyond terms) or 10 (no past due balances for six consecutive periods) in the selected or default period of analysis.

Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 8 score fields for a Business ID. You can mention the exact field like “FRISKScore”, a cell reference like A2, a cell range like A2:C2 or a comma-separated string like “FRISKScore, PAYCEScore”. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.
----------------------------------	---

- **Use Cases & Best Practices**

- Get the peer analysis information for a specific business
 - Find the business IDs you’re interested in (*See item 2 for multiple ways to find the IDs*).
 - Paste the business IDs in any column to reference them in the formula.
 - Choose the business details fields you want to use (*See FIELDS function for an easy way to get this information*) or simply type the desired one.

A3								
1	BusinessId:	2889						
2	Name	Microsoft Corp						
3	Ratio	Value	Max	Min	Median	Count	Rank	Quartile
4	Z-Score	3.8811	498.3525	-6619.8542	3.1927	1909	836	2
5	Net Sales (Thousands of U.S. Dollars)	62020000	119575000	-27	23965	2166	4	1
6	Gross Margin % Of Sales	68.3602	6020	-12660	50.19	1964	647	2
7	Gross Margin % Of Sales -- TTM	69.7482	1767.6839	-4761.4754	50.2992	1996	600	2
8	SGA % Of Sales	13.2586	18890	0.0093	37.42945	2060	256	1
9	SGA % Of Sales -- TTM	13.4799	56037.8343	0.0038	38.11805	2100	246	1
10	Net Profit Margin % Of Sales	35.2628	31849.1575	-51118.3099	3.00685	2138	82	1
11	Net Profit Margin % Of Sales -- TTM	36.2685	61492.3077	-65556.1475	2.39375	2156	59	1
12	EBITDA Margin Of Sales	52.662	10748.3763	-31556.6667	9.1179	1135	32	1
13	Operating Margin % Of Sales	43.3263	16686.9546	-43060	4.45655	2138	60	1
14	Operating Margin % Of Sales -- TTM	44.1004	3944.3459	-64197.1311	3.6223	2157	51	1
15	Interest Coverage	35.9307	86683.1818	-37777.3167	4.0399	896	175	1
16	Interest Coverage -- TTM	48.5937	70314.6071	-28394.4222	5.2506	1149	214	1
17	% of Inventory Financed by Vendors	1095.6656	82888.4669	0.1127	131.88865	952	165	1
18	% of Inventory Financed by Vendors -- TTM	801.7768	88403.178	0	129.9504	1037	212	1
19	Inventory Turnover	34.016	25803.1613	-146.2442	9.447	1231	368	2
20	Inventory Turnover -- TTM	26.5372	80202.5	-173.1789	9.2063	1254	417	2
21	Accounts Payable Turnover	4.2426	52730.6355	-31.5248	7.9741	1742	1214	3
22	Accounts Payable Turnover -- TTM	4.0142	40689.3318	-13.4575	7.5882	1791	1265	3

A6									
1	BusinessId:	2889							
2	Name	Microsoft Corp							
3	Year	2023							
4	Quarter	3							
5	SIC Code	7372							
6	Ratio	Value	Max	Min	Median	Count	Rank	Quartile	
7	Z-Score		4.6248	399.39	-88993.5	3.42	3007	1230	2
8	Net Sales (Thousands of U.S. Dollars)		56517000	89498000	-2079	16623	3144	3	1
9	Gross Margin % Of Sales		71.1556	2239.61	-3400	44.1817	2883	682	1
10	Gross Margin % Of Sales -- TTM		69.4412	2417.502	-16412.5	43.6895	2968	716	1
11	SGA % Of Sales		11.7858	97570.55	0.0056	34.53955	2986	386	1
12	SGA % Of Sales -- TTM		13.4213	78360.01	0.0037	35.0469	3065	447	1
13	Net Profit Margin % Of Sales		39.4412	9851.429	-46450	1.88165	3068	106	1
14	Net Profit Margin % Of Sales -- TTM		35.3149	23888.57	-91813.3	1.5816	3138	100	1
15	EBITDA Margin Of Sales		54.2722	1627.406	-40059.1	6.49545	1670	56	1
16	Operating Margin % Of Sales		47.5768	1591.461	-42587.5	2.727	3068	82	1
17	Operating Margin % Of Sales -- TTM		43.0072	6965	-99291.6	2.2344	3139	90	1
18	Interest Coverage		58.4248	15256.19	-86671	2.32615	1374	167	1

- BusinessId: Referenced on cell B1
- ShowRatios: '1'
- Year: 2023

- Quarter: 3
- SIC Code: 7372
- ShowHeaders: '1'

BUSINESS LOOKUP

BUSINESS LOOKUP function

The **BUSINESS LOOKUP** function allows users to search for businesses in CreditRiskMonitor's database. It returns 43 fields for the 15 best matches.

- **Syntax**

=CRMZ.Lookup(Name, [Address], [City], [StateProvince], [Postal], [Country], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Name <i>required</i>	Type the name of the business to look up. You can write its name or use a cell reference.
Address <i>optional</i>	Type the address of the business to look up. You can write its address or use a cell reference.
City <i>optional</i>	Type the city of the business to look up. You can write its city or use a cell reference. NOTE: There are cities with the same name in different countries or even in the same country. In these cases, the function will point out 'ambiguity'. You have to narrow down your search by filling out other parameters.
StateProvince <i>optional</i>	Type the state or province of the business to look up. You can write its state or province or use a cell reference.
Postal <i>optional</i>	Type the postal code of the business to look up. You can write its numbers or use a cell reference.
Country <i>optional</i>	Type the country 2-digit code of the business to look up, i.e.: "US". You can use a cell reference.
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 252 financial fields for a Business ID. You can mention the exact field like "PrimaryBusinessName", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Find the Business ID of a particular business
 - Type "=CRMZ.LOOKUP()" in any cell

The **PORTFOLIO** function pulls 15 fields from the businesses of your portfolio folders, which can be chosen at the user's convenience.

- **Syntax**

=CRMZ.Portfolio([FolderId], [FirstRow], [LastRow], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Folder <i>optional</i>	Type the name of the folder you want to pull the businesses from. You can write its name, use a cell reference, or cell ranges.
FirstRow <i>optional</i>	This is the first row of your folder to return. The default value is 1. This can be a number or a cell reference.
LastRow <i>optional</i>	This is the last row of your folder to return. The default value is 1000. This can be a number or a cell reference.
FromDate <i>optional</i>	This will return only businesses that have had changes between today's date and the "from date" input. This can be a date (format "YYYY-MM-DD") or a cell reference.
Fields <i>optional</i>	The specific fields from this function you want to use. This function pulls 15 fields for a particular folder. You can mention the exact field like "FRISKScore", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Get quick information about your portfolio
 - a. Choose your folder if you want to.
 - b. Choose the First and Last row if you want to filter your portfolio.
 - c. Filter by Last Changed Date.
 - d. Choose specific fields to return.

[illegible]

A1 *fx* =CRMZ.PORTFOLIO(,,,,"BusinessName",1)

	A	B	C	D	E
1	BusinessName				
2	1-800-Radiator.com				
3	1350 Greenview Shores, LLC				
4	2001 Stereo Systems, Inc.				
5	20230930-DK-Butterfly-1, Inc.				
6	3DShopping.com				
7	A & A TESTING				
8	ACKLEY STATE BANK				
9	ADM Tronics Unlimited Inc				
10	Airgas, Inc.				
11	All for One Media Corp				
12	Alliance Resource Partners L.P.				

A2 *fx* =CRMZ.PORTFOLIO(,,,,A1:D1,0)

	A	B	C	D	E	F
1	BusinessId	BusinessName	FRISKScore	ZScore		
2	16063580	1-800-Radiator	0	0		
3	53855490	1350 Greenview	0	0		
4	7050051	2001 Stereo Sys	6	6.391		
5	4793	20230930-DK-E	0	0		
6	1	3DShopping.co	0	0		
7	8267648	A & A TESTING	0	0		

- Filter your portfolio by FRISK-scored businesses
 - a. Follow the steps from the previous example
 - b. Use the [FILTER function](#) to filter businesses with FRISK Score different than 0
 - i. As the filter condition, use the [CHOOSECOLS function](#) to specify the FRISK Score column
 - c. If you want to filter by only high-risk businesses, you can add an AND condition in the Filter condition for FRISK Score less than or equal to 5

[illegible]

PORTFOLIO FOLDERS function

The **PORTFOLIO FOLDERS** function pulls the folders you have created in your CreditRiskMonitor account.

- **Syntax**

=CRMZ.Portfolio.Folders([Fields], [ShowHeaders])

Refer to **Common Data Inputs** if necessary.

Inputs	Description
Fields <i>optional</i>	The specific fields from this function you want to use. You can mention the exact field like “FolderName”, a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Show all the folders that I have in my account.
 - a. Just type the formula CRMZ.PORTFOLIOFOLDERS()

A2					
	A	B	C	D	E
1					
2	FolderId	UserId	FolderName	DateCreated	DateUpdated
3	107445	139223	APAC	2023-10-11T09:46:59.01	2023-10-11T09:46:59.01
4	107333	139223	Suppliers 1	2023-10-06T13:35:59.277	2023-10-06T13:35:59.277
5	106936	139223	Suppliers 2	2023-09-14T10:22:05.88	2023-09-14T10:22:05.883
6					

- Pull only the FolderId and FolderName fields from your folders.

A2				
	A	B	C	D
1	FolderId	FolderName		
2	107445	APAC		
3	107333	Suppliers 1		
4	106936	Suppliers 2		

PORTFOLIO DOWNLOAD function

The **PORTFOLIO DOWNLOAD** function allows users to get the businesses from their portfolio folders by customizing the layout and fields. Use this function to replace the need to download files from the Portfolio Download page on CreditRiskMonitor's website.

- **Syntax**

=CRMZ.Portfolio.Download([Layout], [FolderId], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Layout <i>optional</i>	Specify the layout which can be found on the Portfolio Download page . The most common:
FolderId <i>optional</i>	Type FolderId you want to pull the businesses from. You can write its number or use a cell reference.
Fields <i>optional</i>	The specific fields from this function you want to use. The number of fields will vary depending on which Layout you choose. You can mention the exact field like "FRISKScore", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Download the businesses from your portfolio using the Latest Annual Financials layout.
 - a. Specify the Layout as “ANNUAL”.
 - b. Choose your folder if you want to.

A1

✕

✓

fx

=CRMZ.PORTFOLIOWDOWNLOAD("ANNUAL")

	A	B	C	D	E	F	G	H	I	J
1	BusinessId	BusinessName	Address1	City	State	Zip	Country	Phone	Fax	WebSite
2	16063580	1-800-Radiator	4401 Park R	Benicia	CA	94510	US	800-248-8	0	https://ww
3	53855490	1350 Greenview	1350 Green	Welling	FL	33414	US	0	0	812
4	7050051	2001 Stereo Sy	5015 Westh	Housto	TX	75205	US	713 960 81	0	0
5	4793	20230930-DK-E	650 Liberty	UNION	NJ	07083	US	(908) 688-	0	http://ww
6	1	3DShopping.co	633 West	LOS AN	CA	90071	US	(800) 443	0	http://www

- The above example returns more than 200 fields. Filter your portfolio download by only the fields you are interested in.

A2 =CRMZ.PORTFOLIOWDOWNLOAD("ANNUAL",A1:F1,0)

	A	B	C	D	E	F	G	H
1	BusinessId	BusinessName	Country	Employ	FriskScore	EBITDA		
2	16063580	1-800-Radiator	US	0	0	0		
3	53855490	1350 Greenview	US	0	0	0		
4	7050051	2001 Stereo Sy	US	0	6	0		
5	4793	20230930-DK-E	US	0	0	-2992286		
6	1	3DShopping.co	US	41	0	0		
7	8267648	A & A TESTING	US	0	0	0		

SUPPLIERS

SUPPLIERS function

The **SUPPLIERS** function pulls 43 fields for each of your suppliers. Only SupplyChainMonitor subscribers are allowed to use this function.

- **Syntax**

=CRMZ.Suppliers([NamedViewId], [FirstRow], [LastRow], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
NamedViewId <i>optional</i>	This is the SupplyChainMonitor Named Views Ids to get suppliers for. The CRMZ.Suppliers.NamedViews function can be used to retrieve the Ids for this function.
FirstRow <i>optional</i>	This is the first row to return. The default value is 1. This can be a number or a cell reference.
LastRow <i>optional</i>	This is the last row to return. The default value is 1000. This can be a number or a cell reference.
Fields <i>optional</i>	The specific fields from this function you want to use. You can mention the exact field like “BusinessName”, a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Show all my suppliers.

- a. Simply execute the function CRMZ.SUPPLIERS()

Supplier.SupplierId	Supplier.BusinessName	Supplier.Address	Supplier.City	Supplier.State	Supplier.PostalCode	Supplier.Country	Supplier.Currency
	1-800-Radiator.com	4401 Park Benicia	CA		94510 US	United States	
	1350 Greenview Shores, LLC	1350 Gree Wellington	FL		33414 US	United States	
	2001 Stereo Systems, Inc.	5015 West Houston	TX		75205 US	United States	
	Bed Bath & Beyond Inc.	650 Liberty UNION	NJ		07083-813 US	United States	
	2U Inc	8201 Corp Landover	MD		20785 US	United States	
	360 NW 27th Street Tenant LLC	12 East 49 New York	NY		10017 US	United States	

- Show suppliers located in the United States.

- a. Simply execute the function CRMZ.SUPPLIERS()

NAMED VIEWS function

The **NAMED VIEWS** function pulls all the views created in SupplyChainMonitor. You can choose which field you want to pull by typing individual fields or selecting a cell range.

- **Syntax**

=CRMZ.SUPPLIERS.NAMEDVIEWS([Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Fields <i>optional</i>	The specific fields from this function you want to use. You can mention the exact field like "BusinessName", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- **Use Cases & Best Practices**

- Show all my named views.

- a. Simply execute the function CRMZ.SUPPLIERS.NAMEDVIEWS()

A1		=CRMZ.SUPPLIERS.NAMEDVIEWS()	
	A	B	
1	NamedViewId	NamedViewName	
2	377	HighRisk Air transportation industry	
3	378	Delinquent Manufacturing industry	

You can use this function to get the NamedViewId. This Id can be used in to the CRMZ.SUPPLIERS() function to return the list of Suppliers in that Named View.

SUPPLIERS DOWNLOAD function

The **SUPPLIERS DOWNLOAD** function allows users to get the suppliers from their list by customizing the layout and fields. Use this function to replace the need to download files from the Download page on SupplyChainMonitor's website.

- Syntax**

=CRMZ.SUPPLIERS.DOWNLOAD ([Layout], [NamedViewId], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Layout <i>optional</i>	Specifies the custom layout identifier, which determines the list of data fields or columns to retrieve from the businesses. The options are: "Business Details", "My Supplier Details", "Basic Financial Statements"
NamedViewId <i>optional</i>	This is the SupplyChainMonitor Named Views Ids to get suppliers for. The CRMZ.Suppliers.NamedViews function can be used to retrieve the Ids for this function.
Fields <i>optional</i>	The specific fields from this function you want to use. You can mention the exact field like "BusinessName", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- Use Cases & Best Practices**

To Be Included later

SUPPLIERS SCORE HISTORY function

The **SUPPLIERS SCORE HISTORY** function pulls score information for a list of suppliers. You can specify the Start and/or End Dates of the monthly risk scores. You can choose which score you want to pull by typing individual fields or selecting a cell range.

- Syntax

=CRMZ.SUPPLIERS.SCOREHISTORY([Type], [NamedViewId], [StartDate], [EndDate], [Fields], [ShowHeaders])

Refer to [Common Data Inputs](#) if necessary.

Inputs	Description
Type <i>optional</i>	This is the score type to pull information.
NamedViewId <i>optional</i>	This is the SupplyChainMonitor Named Views Ids to get suppliers for. The CRMZ.Suppliers.NamedViews function can be used to retrieve the Ids for this function.
StartDate <i>optional</i>	Specifies the start date of the risk scores to display, formatted as YYYY/MM. The default option is the current date.
EndDate <i>optional</i>	Specifies the end date of the risk scores to display, formatted as YYYY/MM. The end date must be at least 45 days apart from the start date. The default option is one year ago.
Fields <i>optional</i>	The specific fields from this function you want to use. You can mention the exact field like "BusinessName", a cell reference like A2, or a cell range like A2:C2. The latter can be used either vertically or horizontally. See Use Cases for best practices on how to use specific fields.

- Use Cases & Best Practices

To Be Included later

FIELDS function

The **FIELDS** function pulls which fields or headers are available to retrieve information from for each CRMZ function in Excel. Use this function to reference cell ranges and quickly customize your functions across your worksheet.

- Syntax

Inputs	Description
FunctionName <i>required</i>	Type the function name you want to retrieve the fields or headers for. For instance, type "BusinessDetails" to know all fields the Business Details function can return. The only exception for this function is the Business Financial Details function.

- Use Cases & Best Practices

- Get the fields available for any function, except BusinessFinancialDetails
 - a. Type the “FunctionName” just like the picture below.
 - b. As a best practice, use TRANSPOSE to get the fields on a single column. This way you can apply filters and quickly search for specific fields.

	A	B	C	D	E	F	G
1	=TRANPOSE(CRMZ_FIELDS\BusinessDetails")	=TRANPOSE(CRMZ_FIELDS\Lookup")	=TRANPOSE(CRMZ_FIELDS\Portfolio")	=TRANPOSE(CRMZ_FIELDS\PortfolioDownload")	=TRANPOSE(CRMZ_FIELDS\PortfolioFolders")	=TRANPOSE(CRMZ_FIELDS\ScoreHistory")	=TRANPOSE(CRMZ_FIELDS\Suppliers")
2	Name	BusinessId	BusinessId	BusinessId	FolderId	FRiskScore	RowNumber
3	ParentBusinessId	PrimaryBusinessName	BusinessName	BusinessName	UserId	DBTScore	BusinessId
4	ParentBusinessId	Address1	FRiskScore	LongTermRating	FolderName	ZScore	UserGroup
5	BusinessId	Address2	FRiskLastChangeDate	Outlook	DateCreated	PAYCScore	ServiceAvailable
6	Address1	CityName	ZScore	Address1	DateUpdated	FRiskScore	BusinessRoleId
7	CityName	StateCode	ZScoreLastChangeDate	City	Year	BusinessType	BusinessName
8	StateProvinceName	PostalCode	FRiskScore	State	Month	BusinessName	Address1
9	PostalCode	CountryName	FRiskScoreLastChangeDate	Zip	Quarter		CityName
10	CountryName	CountryCode	DBTIndex	Country	StateProvinceName	PostalCode	CountryName
11	PhoneNumber	Phone	PAYCScore	Phone	CountryName	CountryCode	CountryCode
12	FaxNumber	TradingStatus	PAYCLastChangeDate	Fax	PayScore	PayScoreDate	DBTIndex
13	EmailAddress	IncorporatedDate	LatestStatementDate	Website	TradeAccounts	TotalDue	FRiskScore
14	TradingStatus	IncorporatedIn	CurrentFiscalYear	TaxId		PastDue	PAYCLastChangeDate
15	IncorporatedDate	IncorporatedInDate	CurrentFiscalQuarter	CK		FRiskScore	FRiskScore
16	IncorporatedIn	TickerSymbol	FinancialLastChangeDate	Employees		InheritedFRiskScore	PrimaryBusinessName
17	IncorporatedInState	StockExchange		EmployeesAsOfDate		FRiskScore	PrimaryBusinessName
18	FederalTaxId	FederalTaxId		LastAuditDate		FRiskScore	PrimaryBusinessName
19	CKNumber	CKNumber		LastAuditOpinion		FRiskScore	PrimaryBusinessName
20	TickerSymbol	LastStatementDate		StatementYear		FRiskScore	PrimaryBusinessName
21	StockExchange	EmployeesAsOfDate		StatementQuarter		FRiskScore	PrimaryBusinessName
22	MarketCap	MarketCap		QuarterEndDate		FRiskScore	PrimaryBusinessName
23	EmployeesAsOfDate	BusinessNameOfMatch		CurrencyCode		FRiskScore	PrimaryBusinessName
24	PAYCScore	Address1OfMatch		TotalAssets		FRiskScore	PrimaryBusinessName
25	PAYCScoreDate	Address2OfMatch		CostOfGoods		FRiskScore	PrimaryBusinessName
26	FRiskScore	CityNameOfMatch		NetIncome		FRiskScore	PrimaryBusinessName
27	FRiskScoreDate	StateCodeOfMatch		Inventory		FRiskScore	PrimaryBusinessName
28	ZScore	PostalCodeOfMatch		TotalLiabilities		FRiskScore	PrimaryBusinessName
29	ZScoreDate	CountryCodeOfMatch		NetSales		FRiskScore	PrimaryBusinessName
30	DBTIndex	BusinessNameOfMatch				FRiskScore	PrimaryBusinessName

Formula Bar: `=CRMZ.BUSINESSDETAILS(C1,A4:A9)`

Name Box	A	B	C	D	E	F	G	H
1	Name		2889					
2	ParentBusinessId		BusinessId	Address1	CityName	StateProvi	PostalCod	CountryName
3	ParentBusinessName		2889	One Micro	REDMOND	WA	98052-639	United States
4	BusinessId							
5	Address1							
6	CityName							
7	StateProvinceName							
8	PostalCode							
9	CountryName							
10	PhoneNumber							
11	FaxNumber							
12	EmailAddress							
13	TradingStatus							
14	IncorporatedDate							
15	IncorporatedIn							
16	IncorporatedInState							
17	FederalTaxId							
18	CIKNumber							
19	TickerSymbol							
20	StockExchange							

Formula in cell B5: `=TRANSPOSE(CRMZ.FIELDS("BusinessDetails"))`

